

WARRANTY & PRESSURE TEST INSTRUCTIONS

**THIS EXTINGUISHER IS A ONE USE ONLY FIRE EXTINGUISHER.
DO NOT TEST FIRE IT.**

PRESSURE TEST

1. Hold the extinguisher (face up) in both hands.
2. Using both your thumbs, (one on top of the other) press down very firmly onto the wall of the cylinder
– avoid the seam and the bottom half of the cylinder.
3. If you are able to dent the cylinder wall by this method the extinguisher may have lost its pressure and will require replacement under our warranty provisions.

**It is important to carry out this test on a regular basis.
We recommend monthly.**

CAUTION

This extinguisher is designed to fight small fires only.
It is not designed to take the place of commercial and/or industrial extinguishers, mandated by Government regulation.
If you do not have a clear view of the fire or you can not approach the fire safely, because it is too hot and/or fierce – **DO NOT** attempt to fight the fire. Withdraw from the premises and seek help.

UNDER NO CIRCUMSTANCES SHOULD YOU PLACE YOURSELF AT RISK TO FIGHT A FIRE.

Always ensure you have a clear path of escape before attempting to fight a fire.
Avoid breathing smoke and fumes from the fire.
Keep in a cool place.
DO NOT store in direct sunlight.

WARRANTY DETAILS - SEE OVERLEAF

AUSTRALIAN AEROSOLS PTY LTD
1/94 Horsley Street, Coonabarabran, NSW, Australia 2357
Telephone (02) 6842 5838 or 0417 326 871 Fax (02) 6842 5810
E-mail: admin@firex.info Web: www.firex.info

WARRANTY & PRESSURE TEST INSTRUCTIONS

**THIS EXTINGUISHER IS A ONE USE ONLY FIRE EXTINGUISHER.
DO NOT TEST FIRE IT.**

PRESSURE TEST

1. Hold the extinguisher (face up) in both hands.
2. Using both your thumbs, (one on top of the other) press down very firmly onto the wall of the cylinder
– avoid the seam and the bottom half of the cylinder.
3. If you are able to dent the cylinder wall by this method the extinguisher may have lost its pressure and will require replacement under our warranty provisions.

**It is important to carry out this test on a regular basis.
We recommend monthly.**

CAUTION

This extinguisher is designed to fight small fires only.
It is not designed to take the place of commercial and/or industrial extinguishers, mandated by Government regulation.
If you do not have a clear view of the fire or you can not approach the fire safely, because it is too hot and/or fierce – DO NOT attempt to fight the fire. Withdraw from the premises and seek help.

UNDER NO CIRCUMSTANCES SHOULD YOU PLACE YOURSELF AT RISK TO FIGHT A FIRE.

Always ensure you have a clear path of escape before attempting to fight a fire.
Avoid breathing smoke and fumes from the fire.
Keep in a cool place.
DO NOT store in direct sunlight.

WARRANTY DETAILS - SEE OVERLEAF

AUSTRALIAN AEROSOLS PTY LTD

1/94 Horsley Street, Coonabarabran, NSW, Australia 2357
Telephone (02) 6842 5838 or 0417 326 871 Fax (02) 6842 5810
E-mail: admin@firex.info Web: www.firex.info

Warranty Information

- Australian Aerosols Pty Ltd (the company) warrants its dry powder fire extinguisher to be free from defective materials and workmanship. Should a defect occur within 12 months of the date of purchase, the company will, at the company's discretion, either replace the extinguisher or refund the purchase price of the extinguisher.
 - To make a warranty claim the customer is to advise the company the following details:-
 - Customers name, address, telephone No and email address (if available)
 - Generally in your own words describe the nature of the defect
 - Provide proof of purchase, including the date and value of the purchase. Also provide details of the retail establishment from which the product was purchased.
 - This information is to be forwarded to
Australian Aerosols Pty Ltd
1/94 Horsley Street, Coonabarabran NSW 2357.
Phone 02 68425838 or 0417326871 Fax 02 68425810
Email admin@firex.info
- 3 Advise the company within 12 months of purchase, the defect in the product as described in clause 2.
 - 4 Note the warranty will not apply if the extinguisher has been test fired.
 - 5 to ensure any substantial loss of gas is detected, the customer is to pressure test the extinguisher in accordance with the pressure test instructions and inform the company if the extinguisher has lost gas pressure. If the extinguisher has lost gas pressure the company will either refund the purchase price or replace the extinguisher.
 - 6 The following mandatory instructions are printed on the back panel of the fire extinguisher and must be complied with:-
 - a) Discharge and discard after any use or before the use by date (the use by date is printed on the back of the fire extinguisher).
 - b) Do not puncture or incinerate the can even when empty.
 - c) Metal objects can rust or corrode in wet and salty conditions. To avoid deterioration of the extinguisher store in a suitable environment.
 - d) Do not store in direct sunlight
 - e) Keep in a cool place
 - 6 To claim warranty the customer must advise the company the details of the claim as requested in clause 2.
 - 7 Subject to prior approval the company will reimburse the customer for any reasonable expense they incur in claiming the warranty
 - 8 The company's warranty is in addition to other rights/remedies the customer may have in relation to the company's extinguisher.
- "Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure"